



New options framework

Baptiste Daroussin
bapt@FreeBSD.org

FreeBSD Developer Summit
EuroBSDcon 2011
Maarssen, The Netherlands
October 8th 2011



Rationale

Current options problems has inconsistencies

- for a given option we only have two variables:
`WITH_FOO` and `WITHOUT_FOO`
- their value is not checked
- the usage is not consistent



Proposal: 3 options types

- simple options (on or off)
- multi options: at least 1 over N
- single options: 1 and only 1 over N (exclusive)
- every options can have an optional description
- maintainer options
- system wide options



Options values

- OPTIONS_DEFINE: port, maintainer
- OPTIONS_DEFAULT: port, maintainer
- OPTIONS_EXCLUDE: port, maintainer
- OPTIONS_OVERRIDE: break everything
- OPTIONS_SET= OPT1: user, make.conf
- OPTIONS_UNSET= OPT1: user, make.conf
- \${UNIQUENAME}_SET= OPT1 (zsh_SET) user, make.conf
- \${UNIQUENAME}_UNSET= OPT1 (zsh_UNSET) user, make.conf
- generic options descriptions as it is currently done in the KNOBS file.



Consistency

- 1/ set the default global options
- 2/ removes any global via OPTIONS_EXCLUDE
- 3/ OPTIONS_DEFAULT: override previous
- 4/ system-wide OPTIONS_(UN)SET
- 5/ \${UNIQUENAME:U}_(UN)SET
- 6/ compatibility: /var/db/ports/\${UNIQUENAME}/options
(note: usage of OPTIONS+= is deprecated)
- 6/ new /var/db/ports/\${UNIQUENAME}/options from dialog ui
- 7/ automatic consistency check



Example

```
OPTIONS_DEFINE= OPT1 OPT2 OPT3  
  
OPTIONS_MULTI= GRP1 GRP2  
OPTIONS_MULTI_GRP1= OPT4 OPT5  
OPTIONS_MULTI_GRP2= OPT6 OPT7  
  
OPTIONS_SINGLE= SEL1  
OPTIONS_SINGLE_SEL1= OPT8 OPT9 OPT10  
OPTIONS_DEFAULT= OPT2 OPT3 OPT9 OPT7 OPT8 OPT4  
OPTIONS_EXCLUDE= NLS DOCS  
  
OPT1_DESC= "Description of my option"
```



Example

```
$make show-config  
====> The following configuration options are available:  
OPT1=off: Description of my option  
OPT2=on  
OPT3=on  
====> Options available for the multi GRP1: you must choose  
      at least one of them  
OPT4=on  
OPT5=off  
====> Options available for the multi GRP2: you must choose  
      at least one of them  
OPT6=off  
OPT7=on  
====> Options available for the single SEL1: you must select  
      only one of them  
OPT8=on  
OPT9=off  
OPT10=off
```



Example

```
$make pretty-print-config:
```

```
-OPT1 +OPT2 +OPT3 GRP1[ +OPT4 -OPT5 ] GRP2[ -OPT6 +OPT7 ] \  
SEL1( +OPT8 +OPT9 -OPT10 )
```

```
$make check-config
```

```
====> You should select one and only one options from the \  
SEL1 single  
" *** Error code 1
```



in port options checking

```
.if !empty(PORTS_OPTIONS:MOPT1)
    @${ECHO_CMD} " the option OPT1 is set (aka on)"
.else
    @${ECHO_CMD} "the option OPT1 is not set (aka off)"
.endif
```



Thanks

questions?